



Literature-References citing the use of Milenia HybriDetect:

Date: January 15th, 2019

RPA

- ▼ Piepenburg O., Williams C.H., Stemple D.L., Armes N.A.
DNA detection using recombination proteins. *PLoS Biol* 2006; 4(7): e204.
DOI:10.1371/journal.pbio.0040204
<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC1475771/pdf/pbio.0040204.pdf>
- ▼ Saldarriaga O. A. et al., An Innovative Field-Applicable Molecular Test to Diagnose Cutaneous Leishmania Viannis ssp. *Infections. PLoS Negl. Trop. Dis.* 2016; 10 (4)
<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC4845993/pdf/pntd.0004638.pdf>
- ▼ Yang Y et al., Development of an Isothermal Amplification-Based Assay for Rapid Visual Detection of an Orf Virus. *Viro. J.* 2016; 13:46
https://www.ncbi.nlm.nih.gov/pmc/articles/PMC4799565/pdf/12985_2016_Article_502.pdf
- ▼ Cordray MS et al., A Paper and Plastic Device for the Combined Isothermal Amplification and Lateral Flow Detection of Plasmodium DNA. *Malar. J.* 2015; 14, 472
https://www.ncbi.nlm.nih.gov/pmc/articles/PMC4661981/pdf/12936_2015_Article_995.pdf
- ▼ Rosser et al., Isothermal Recombinase Polymerase Amplification (RPA) of Schistosoma haematobium DNA and Oligochromatographic Lateral Flow Detection. *Parasit Vectors* 2015; 8,
https://www.ncbi.nlm.nih.gov/pmc/articles/PMC4559068/pdf/13071_2015_Article_1055.pdf
- ▼ Castellanos-Gonzalez A et al., A Novel Test to Diagnose Canine Visceral Leishmaniasis at the Point of Care. *Am. J. Med Hyg.* 2015, 93 (5), 970-975
<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC4703275/pdf/tropmed-93-970.pdf>
- ▼ Chao CC et al., Development of Recombinase Polymerase Amplification Assays for Detection of Orienta Tsutsugamushi or Rickettsia typhi. *PLoS Negl. Trop. Dis.* 2015; 9 (7)
<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC4498641/pdf/pntd.0003884.pdf>
- ▼ Nair G. et al., Detection of Entamoeba histolytica by Recombinase Polymerase Amplification. *Am. J. Trop. Med.* 2015; 93 (3) 591-595
<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC4559702/pdf/tropmed-93-591.pdf>
- ▼ Rohrman B. et al., Inhibition of Recombinase Polymerase Amplification by Background DNA: A Lateral Flow-Based Method for Enriching Target DNA. *Anal. Chem.* 2015 87 (3), 1963-1967
<http://pubs.acs.org/doi/pdf/10.1021/ac504365v>

- ▼ Zhao G et al. Development of a recombinase polymerase amplification combined with a lateral flow dipstick assay for rapid detection of the *Mycoplasma bovis*. BMC Vet Res. 2018 Dec 20;14(1):412
https://www.ncbi.nlm.nih.gov/pmc/articles/PMC6302395/pdf/12917_2018_Article_1703.pdf
- ▼ Zhao G. et al., Rapid visual detection of *Mycobacterium avium* subsp. *paratuberculosis* by recombinase polymerase amplification combined with a lateral flow dipstick. J Vet Sci. 2018 Mar 31;19(2):242-250.
<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC5879072/pdf/jvs-19-242.pdf>
- ▼ Qi Y. et al., Development of a rapid and visual nucleotide detection method for a Chinese epidemic strain of *Orientia tsutsugamushi* based on recombinase polymerase amplification assay and lateral flow test. Int J Infect Dis. 2018 May;70:42-50.
[https://www.ijidonline.com/article/S1201-9712\(18\)30062-6/pdf](https://www.ijidonline.com/article/S1201-9712(18)30062-6/pdf)
- ▼ Ahmed F. A. et al., Genome-informed diagnostics for specific and rapid detection of *Pectobacterium* species using recombinase polymerase amplification coupled with a lateral flow device. Sci Rep. 2018 Oct 29;8(1):15972
https://www.ncbi.nlm.nih.gov/pmc/articles/PMC6206099/pdf/41598_2018_Article_34275.pdf
- ▼ Qi Y. et al., Development of a rapid and visual detection method for *Rickettsia rickettsii* combining recombinase polymerase assay with lateral flow test. PLoS One. 2018 Nov 26;13(11)
<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC6257923/pdf/pone.0207811.pdf>
- ▼ Wang H. et al., Rapid visual detection of cyprinid herpesvirus 2 by recombinase polymerase amplification combined with a lateral flow dipstick. J Fish Dis. 2018 May 28
<https://onlinelibrary.wiley.com/doi/abs/10.1111/jfd.12808>
- ▼ Wang H. et al., Development and evaluation of serotype-specific recombinase polymerase amplification combined with lateral flow dipstick assays for the diagnosis of foot-and-mouth disease virus serotype A, O and Asia1. BMC Vet Res. 2018 Nov 20;14(1)
https://www.ncbi.nlm.nih.gov/pmc/articles/PMC6245561/pdf/12917_2018_Article_1644.pdf
- ▼ Soliman H. et al., Recombinase polymerase amplification assay combined with a lateral flow dipstick for rapid detection of *Tetracapsuloides bryosalmonae*, the causative agent of proliferative kidney disease in salmonids. Parasit Vectors. 2018 Apr 11;11(1):234.
https://www.ncbi.nlm.nih.gov/pmc/articles/PMC5896054/pdf/13071_2018_Article_2825.pdf
- ▼ Soliman H. and El-Matoubli M., Rapid detection and differentiation of carp oedema virus and cyprinid herpes virus-3 in koi and common carp. J Fish Dis. 2018 May;41(5):761-772.
<https://onlinelibrary.wiley.com/doi/pdf/10.1111/jfd.12774#accessDenialLayout>
- ▼ Zasada A. A. et al., Isothermal DNA amplification combined with lateral flow dipsticks for detection of biothreat agents. Anal Biochem. 2018 Nov 1;560:60-66.
<https://www.sciencedirect.com/science/article/pii/S0003269718307085?via%3Dihub>

LAMP

- ▼ Kiatpathomchai W., Jaroenram W., Arunrut N., Jitrapakdee S., Flegel TW. Shrimp Taura syndrome virus detection by reverse transcription loop-mediated isothermal amplification combined with a lateral flow dipstick. Journal of Virological Methods 2008; 153: 214–217
<https://www.sciencedirect.com/science/article/pii/S0166093408002401?via%3Dihub>
- ▼ Ding W. C., Chen J., Shi Y. H., Lu X. J., Li M. Y. Rapid and sensitive detection of infectious spleen and kidney necrosis virus by loop-mediated isothermal amplification combined with a lateral flow dipstick. Arch. Virol. 2010; 155: 385-389
<https://link.springer.com/article/10.1007%2Fs00705-010-0593-4>

- ▼ Surasilp T., Longyant S., Rukpratanporn S., Sridulyakul P., Sithigorngul P., Chaivisuthangkura P. Rapid and sensitive detection of *Vibrio vulnificus* by loop-mediated isothermal amplification combined with lateral flow dipstick targeted to *rpoS* gene. *Molecular and Cellular Probes* 2011; 25: 158-163
<https://www.sciencedirect.com/science/article/abs/pii/S0890850811000193?via%3Dihub>
- ▼ Kaewphinit T., Arunrut N., Kiatpathomchai W., Santiwatanakul S., Jaratsing P., Chansiri K. Detection of *Mycobacterium tuberculosis* by using loop-mediated isothermal amplification combined with a lateral flow dipstick in clinical samples. *Biomed. Res. Int.* 2013; 1-6
<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC3603199/pdf/BMRI2013-926230.pdf>
- ▼ Kusumawati A. et al., Use of reverse transcription loop-mediated isothermal amplification combined with lateral flow dipstick for an easy and rapid detection of Jembrana disease virus. *Virusdisease.* 2015 Sep;26(3):189-95
https://www.ncbi.nlm.nih.gov/pmc/articles/PMC4571594/pdf/13337_2015_Article_277.pdf
- ▼ Huang HL et al., The Development of Loop-Mediated Isothermal Amplification Combined with Lateral Flow Dipstick for Detection of *Karlodinium veneticum*. *Harmful Algae* 2017; 62, 20-29.
<http://www.sciencedirect.com/science/article/pii/S1568988316301986?via%3Dihub>
- ▼ Yang Y et al., Rapid and sensitive detection of *Babesia bovis* and *Babesia bigemina* by loop-mediated isothermal amplification combined with a lateral flow dipstick *Vet. Parasitol* 2016; 219, 71-76
<http://www.sciencedirect.com/science/article/pii/S0304401716300280?via%3Dihub>
- ▼ Rigano AL et al., Rapid and sensitive detection of *Candidatus Liberibacter asiaticus* by loop mediated isothermal amplification combined with a lateral flow dipstick *BMC Microbiol.* 2014; 1186,
<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC4021466/pdf/1471-2180-14-86.pdf>
- ▼ Sun YL et al., Visual Detection of Canine Parvovirus Based on Loop-Mediated Isothermal Amplification Combined with Enzyme-Linked Immunosorbent Assay and with Lateral Flow Dipstick. *J. Vet. Med. Sci.* 2014
<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC4064134/pdf/jyms-76-509.pdf>
- ▼ Vaagt F et al. Loop-mediated isothermal amplification (LAMP)-based method for rapid mushroom species identification. *J. Agric. Food Chem.* 2013; 61 (8), 1833-1840
<http://pubs.acs.org/doi/abs/10.1021/jf304824b>
- ▼ Huang H. L. et al., Detection of *Skeletonema costatum* based on loop-mediated isothermal amplification combined with lateral flow dipstick. *Mol Cell Probes.* 2017 Dec;36:36-42.
<https://www.sciencedirect.com/science/article/abs/pii/S0890850817300798?via%3Dihub>
- ▼ Lalle M. et al., Loop-Mediated Isothermal Amplification-Lateral-Flow Dipstick (LAMP-LFD) to detect *Toxoplasma gondii* oocyst in ready-to-eat salad. *Food Microbiol.* 2018 Apr;70:137-142
<https://www.sciencedirect.com/science/article/pii/S0740002017306111?via%3Dihub>
- ▼ Kanchanaphum P., Time Course of Detection of Human Male DNA from Stained Blood Sample on Various Surfaces by Loop Mediated Isothermal Amplification and Polymerase Chain Reaction. *Biomed Res Int.* 2018 Mar 22;2018:2981862
<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC5885343/pdf/BMRI2018-2981862.pdf>
- ▼ Mamba T. S. et al., Lateral Flow Loop-Mediated Isothermal Amplification Test with Stem Primers: Detection of *Cryptosporidium* Species in Kenyan Children Presenting with Diarrhea. *J Trop Med.* 2018 Feb 26;2018:7659730
<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC5846371/pdf/JTM2018-7659730.pdf>
- ▼ Zasada A. A. et al., Isothermal DNA amplification combined with lateral flow dipsticks for detection of biothreat agents. *Anal Biochem.* 2018 Nov 1;560:60-66.
<https://www.sciencedirect.com/science/article/pii/S0003269718307085?via%3Dihub>

PCR

- ▼ Taboada L. et al., A new method for the rapid detection of Atlantic cod (*Gadus morhua*), Pacific cod (*Gadus macrocephalus*), Alaska pollock (*Gadus chalcogrammus*) and ling (*Molva molva*) using a lateral flow dipstick assay. *Food Chem.* 2017; 233, 182-189
<http://www.sciencedirect.com/science/article/pii/S0308814617306581?via%3Dihub>
- ▼ Wong YL et al., Rapid authentication of *Cordyceps* by lateral flow dipstick. *J. Pharm. Biomed. Anal.* 2015, 111, 306-310
<http://www.sciencedirect.com/science/article/pii/S0731708515002319?via%3Dihub>
- ▼ Pecchia S. and Da Lio D., Development of a rapid PCR-Nucleic Acid Lateral Flow Immunoassay (PCR-NALFIA) based on rDNA IGS sequence analysis for the detection of *Macrophomina phaseolina* in soil.
<https://www.sciencedirect.com/science/article/pii/S016770121830263X?via%3Dihub>